



## Retail Food Establishment Inspection Report

Floyd County Health Department  
Telephone: 812-948-4726

X6600

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name <b>M. Donalds # 7434</b>	Telephone Number <b>812 941 1186</b>	Date of Inspection (mm/dd/yr) <b>2/19/2020</b>	PERMIT # <b>19-189</b>
Establishment Address (number and street, city, state, zip code) <b>802 Hunsfeldt Ln New Albany, IN 47150</b>	<b>614 682 1152</b>		
Owner <b>M. Donalds Corp</b>	Purpose: <b>Routine</b>	Follow-up <b>YES</b>	Release Date <b>TODAY</b>
Owner's Address <b>P.O. Box 183096 Columbus, OH 43218</b>	2. Follow-up	Summary of Violations: <b>C 3 NC 9 R 4</b>	
Person in Charge <b>Brandon Morgan</b>	3. Complaint	Menu Type (See back of page) <b>1 2 3 X 4 5</b>	
Responsible Person's E-mail	4. Pre-Operational		
Certified Food Manager <b>Brandon Morgan (2/26/23)</b>	5. Temporary		
	6. HACCP		
	7. Other (list)		

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
173	C		Observed leaf lettuce packed too full and touching underside of shelving	Corrected
191	C		Observed shredded and sliced cheese lacking time-stamps per TTC	Corrected
192	C		Observed (x6) toppings past time limit per TTC	Discarded
177	NC	R	Observed <del>drive-thru</del> drive-thru ice bin without lid	1 week
218	NC		Observed bulk ice bin to be broken	1 week
245	NC	R	Observed rags outside of sanitiser solution	Retrain staff
297	NC	R	Observed mold around lobby soda nozzles	Today
304	NC		Observed plastic bins being wet stacked	Retrain staff
310	NC		Observed dusty ceiling vent over equipment storage at drive-thru	Today
410	NC		Observed broken light shield in freezer walk-in	1 week
430	NC		Observed ice build-up on walk-in freezer floor	1 week
			Observed rusted ceiling grate over warewash/3-comp sink	1 week
433	NC	R	Observed (3) mops not properly hung to dry	Retrain staff
			FCHD will return for Follow-up inspection 2/26	

Received by (name and title printed):

Brandon Morgan

Inspected by (name and title printed):

A.J. Ingram (EHS)

Received by (signature):

Beach Morgan

Inspected by (signature):

aj

cc:

cc:

cc: